




INA RASE70 bearing units



RASE70 Bearing 2D drawings and 3D CAD models

Bearing No. RASE70

Bore Diameter	70 mm
d	70 mm
S1	44,6 mm
Thread (Q)	Rp1/8
d3	96 mm
A	65 mm
A1	44 mm
B1	66 mm
H	79,4 mm
H1	27,5 mm
H2	156 mm
J	203 mm
L	260 mm
N	22 mm
N1	28 mm
Weight	6,15 Kg
Basic dynamic load rating (C)	62 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	7.215
EAN	4012802066128
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar



## FML ske Manufacturing Co., Ltd

Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GE70KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row   Standard Shaft Height   With Set Screw
Long Description	2 Bolt Pillow Block; 70MM Bore; 79.4MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 196.5MM Minimum Bolt Spacing; 208.5MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land R
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	RASE70
Weight / LBS	14.134
Base to Center Height	3.126 Inch   79.4 Millimeter
Length Thru Bore	2.602 Inch   66.1 Millimeter
Bolt Spacing Minimum	7.736 Inch   196.5Millimeter
Bolt Spacing Maximum	8.209 Inch   208.5Millimeter
Bore	2.756 Inch   70 Millimeter
Nominal Bolt Center to	8 Inch   203 Millimeter



## FML ske Manufacturing Co., Ltd

Center	
Actual Bolt Center to Center	0 Inch   0Millimeter