




## INA PASE15 bearing units



PASE15 Bearing 2D drawings and 3D CAD models

Bearing No. PASE15

Bore Diameter	15 mm
d	15 mm
S1	22,1 mm
Thread (Q)	M6
d3	28 mm
A	30 mm
A1	18 mm
B1	28,6 mm
H	30,2 mm
H1	10 mm
H2	57 mm
J	95 mm
L	125 mm
N	11 mm
N1	19 mm
Weight	0,46 Kg
Basic dynamic load rating (C)	9,8 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.55
EAN	4012802793505
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar



## FML ske Manufacturing Co., Ltd

Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GRAE15NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row   Spherical   Standard Shaft Height   With Set Screw
Long Description	2 Bolt Pillow Block; 15MM Bore; 30.2MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 81MM Minimum Bolt Spacing; 103MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Lip Contact
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	PASE15
Weight / LBS	1.213
Length Thru Bore	1.126 Inch   28.6 Millimeter
Bolt Spacing Maximum	4.055 Inch   103Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to Center	3.6 Inch   92 Millimeter
Base to Center Height	1.189 Inch   30.2 Millimeter



## FML ske Manufacturing Co., Ltd

Bore	0.591 Inch   15 Millimeter
Bolt Spacing Minimum	3.189 Inch   81Millimeter